



cold-era

TROLLEYS

www.cold-era.com

info@cold-era.com

export@cold-era.com

cold-era

INDEX

| | |
|--|-----|
| ELECTRICAL BANQUET TROLLEYS | 3-5 |
| SERVICE TROLLEYS | 6-7 |
| BASKET TROLLEY | 8 |
| POT CARRYING TROLLEY | 9 |
| INGREDIENT TROLLEY | 10 |
| DIRTY DISH COLLECT TOLLEYLEY | 11 |
| WET LAUNDRY TROLLEY | 12 |
| DRY LAUNDRY TROLLEY | 13 |
| TRAY COLLECTING TROLLEY | 14 |
| PROOFING CABINET WITH GLASS DOOR | 15 |
| PROOFING CABINET | 16 |
| ELECTRICAL PLATE HEATING PLATFORM | 17 |
| ELECTRICAL PLATE HEATING TROLLEYS | 18 |
| ELECTRICAL BAIN MARIE | 19 |
| ELECTRICAL BAIN MARIE GN 1/1 | 20 |
| ELECTRICAL TELESCOPIC FOOD SERVICE TROLLEY | 21 |
| ELECTRICAL BAIN MARIE | 22 |
| MEAT HANGING TROLLEY | 23 |
| MOBILE WASTE BIN | 24 |
| DISH CARRYING TROLLEY | 25 |
| DISH SOAKING TROLLEY | 26 |
| VEGETABLE SOAKING TROLLEY | 27 |
| MATERIAL TROLLEY GN 1/1 | 20 |
| TRAY TROLLEY | 30 |
| TRAY TROLLEY-DISASSAMBLD | 31 |
| FISH-MEAT THROWING TROLLEY | 32 |



GENERAL FEATURES

- Digital control with cabinet temperature display and setting.
- Fully compliant HACCP digital controls include visible alarms.
- Large storage area suitable to contain 2/1 GN containers or shelves on anti-tilt pressed runners.
- Cabinet fitted with up to 40 mm thickness of polyurethane insulation for best insulating performance with 100% environmental protection.
- Removable triple-chamber balloon magnetic gasket to improve insulation consumption.
- The heat can be monitored and adjusted between 50 90 °C with the thermometer.
- Removable bumpers the unit against damages.
- Two wheels with brakes and two without.
- Anti jamming design
- Well clean system with removable electric cabinet
- Heavy duty hinge mechanism
- Magnetic door lock
- 270 ° swing door

| | |
|---------------|-------------------------------------|
| MODEL | CL1H BQTR |
| POWER | 2 kw |
| WEIGHT | 141 kg |
| WxDxH CM | 85x91x187 |
| TRAY CAPACITY | 18 Pcs GN 2/1x65 - 36 Pcs GN 1/1x65 |
| PRICE EURO | 2.380 € |



GENERAL FEATURES

- Digital control with cabinet temperature display and setting.
- Fully compliant HACCP digital controls include visible alarms.
- Large storage area suitable to contain 2/1 GN containers or shelves on anti-tilt pressed runners.
- Cabinet fitted with up to 40 mm thickness of polyurethane insulation for best insulating performance with 100% environmental protection.
- Removable triple-chamber balloon magnetic gasket to improve insulation consumption.
- The heat can be monitored and adjusted between 50 90 °C with the thermometer.
- Removable bumpers the unit against damages.
- Two wheels with brakes and two without.
- Anti jamming design
- Well clean system with removable electric cabinet
- Heavy duty hinge mechanism
- Magnetic door lock • 270 ° swing door

| | |
|---------------|-------------------------------------|
| MODEL | CL1SH BQTR |
| POWER | 2 kw |
| WEIGHT | 141 kg |
| WxDxH CM | 810x930x1660 |
| TRAY CAPACITY | 15 Ad. GN 2x1 65 - 30 Ad. GN 1/1 Gn |
| PRICE EURO | 2.240 € |



GENERAL FEATURES



- Digital control with cabinet temperature display and setting.
- Fully compliant HACCP digital controls include visible alarms.
- Large storage area suitable to contain 2/1 GN containers or shelves on anti-tilt pressed runners.
- Cabinet fitted with up to 40 mm thickness of polyurethane insulation for best insulating performance with 100% environmental protection.
- Removable triple-chamber balloon magnetic gasket to improve insulation consumption.
- The heat can be monitored and adjusted between 50 90 °C with the thermometer.
- Removable bumpers the unit against damages.
- Two wheels with brakes and two without.
- Anti jamming design
- Well clean system with removable electric cabinet
- Heavy duty hinge mechanism
- Magnetic door lock • 270 ° swing door

| | |
|---------------|-------------------------------------|
| MODEL | CL2H BQTR |
| POWER | 2 kw |
| WEIGHT | 253 kg |
| WxDxH CM | 176x91x187 |
| TRAY CAPACITY | 36 Pcs GN 2/1x65 - 72 Pcs GN 1/1x65 |
| PRICE EURO | 4.240 € |



GENERAL FEATURES

- 4 swivel castors (2 with brakes)
- Carrying capacity - : 80 kg.
- Shelf size approx:- 875x575 mm
- Distance between shelves: 540 mm
- Pipe size : (Ø) 10
- Pipe thickness- 1 mm

| | |
|-------------------|------------|
| MODEL | CL SVTR 2S |
| WxDxH CM | 90x60x85 |
| CARRYING CAPACITY | 80 KG |
| PRICE EURO | 282 € |



GENERAL FEATURES

- 4 swivel castors (2 with brakes)
- Carrying capacity - 110 kg.
- Shelf size approx:- 875x575 mm
- Distance between shelves: 260 mm
- Pipe Diameter: (Ø) 10
- Pipe thickness-1 mm

| | |
|-------------------|------------|
| MODEL | CL SVTR 3S |
| WxDxH CM | 90x60x85 |
| CARRYING CAPACITY | 110 KG |
| PRICE EURO | 305 € |



GENERAL FEATURES

- 2 fixed castors, 2 swivel castors Ø 125
- Carrying capacity - 150 kg.

| | |
|-------------------|----------|
| MODEL | CL CASTR |
| WxDxH CM | 60x60x85 |
| CARRYING CAPACITY | 150 KG |
| PRICE EURO | 325 € |



GENERAL FEATURES

- 4 swivel castors (2 with brakes)
- Carrying capacity : 120 kg.

| | |
|-------------------|----------|
| MODEL | CL POTTR |
| WxDxH CM | 90x70x85 |
| CARRYING CAPACITY | 120 KG |
| PRICE EURO | 370 € |



GENERAL FEATURES

- 4 swivel castors (2 with brakes)
- Carrying capacity : 140 lt.
- Basin size approx 681x481x328 mm

| | |
|-------------------|----------|
| MODEL | CL INGTR |
| WxDxH CM | 60x50x50 |
| CARRYING CAPACITY | 140 LT |
| PRICE EURO | 275 € |



GENERAL FEATURES

- 4 swivel castors (2 with brakes)
- Carrying capacity : 125 kg.
- Basin size approx:
1000x590x145 mm
- Distance between shelves
450 mm
- Bumpers the unit againts damages.

| | |
|-------------------|----------|
| MODEL | CL DISTR |
| WxDxH CM | 60x50x50 |
| CARRYING CAPACITY | 125 KG |
| PRICE EURO | 314 € |



GENERAL FEATURES

- 4 swivel castors (2 with brakes)
- Carrying capacity 90 lt.
- Basin size approx: 550x854x196 mm

| | |
|-------------------|----------|
| MODEL | CL DISTR |
| WxDxH CM | 90x60x85 |
| CARRYING CAPACITY | 90 LT |
| PRICE EURO | 480 € |



GENERAL FEATURES

- 4 swivel castors (2 with brakes) •
- Carrying capacity : 90 lt.
- Basin size approx: 550x854x196 mm

| | |
|-------------------|-----------|
| MODEL | CL DLAUTR |
| WxDxH CM | 90x60x85 |
| CARRYING CAPACITY | 90 IT |
| PRICE EURO | 510 € |



GENERAL FEATURES

- 4 swivel castors (2 with brakes)
- Tray capacity - 50 pc.
- Tray Size - 370x530 mm.
- Bumpers the unit againts damages.

| | |
|------------------------|----------|
| MODEL | CL TRATR |
| WxDxH CM | 55x55x85 |
| TRAY CARRYING CAPACITY | 50 PCS |
| PRICE EURO | 765 € |



GENERAL FEATURES

- Digital control with cabinet temperature display and setting.
- 4 swivel castors (2 with brakes)

| MODEL | CL 12G PROTR | CL 13G PROTR |
|------------|---------------|---------------|
| WxDxH mm | 530x1000x2150 | 530x1000x2150 |
| PRICE EURO | 2.294 € | 2.515 € |



GENERAL FEATURES

- Adjustable cabinet temperature with thermostat
- 4 swivel castors (2 with brakes)

| | | | |
|---------------|------------------|---------------|---------------|
| MODEL | CL 11X90 PRCB | CL 12X56 PRCB | CL 12X90 PRCB |
| WxDxH CM | 114x89x90 | 120x89x56 | 120x89x90 |
| PRICE EURO | 1.666 € | 1.620 € | 1.540 € |
| MODEL | CL 16X56 PRCB | CL 16X90 PRCB | |
| WxDxH CM | 162x89x56 | 162x89x90 | |
| PRICE EURO | 1.1174 € | 1.229 € | |



GENERAL FEATURES

- 4 swivel castors (2 with brakes)
- Plate capacity : 250 pc.
- Plate size: * Ø 26-32•
Güç: 0,75 kW/230V/1N PE
50 Hz

| | |
|------------|------------|
| MODEL | CL 70 PHTR |
| WxDxH CM | 53x100x85 |
| PRICE EURO | 2.435 € |



GENERAL FEATURES

- 4 swivel castors (2 with brakes)
 - Plate size: * Ø 26-32•
- Bumpers the unit againsts damages.



| MODEL | CL 1PHTR | CL 2PHTR |
|------------|----------|-----------|
| WxDxH CM | 53x48x85 | 53x100x85 |
| PLATE SIZE | Ø 26-32 | Ø 26-32 |
| PRICE EURO | 975 € | 1.635 € |



GENERAL FEATURES

- 4 swivel castors (2 with brakes)
- Gn capacity: 4 x GN 1/2 , 3 x GN 1/6 max.150 mm



| | |
|------------|----------------|
| MODEL | CL 70X100 BMTR |
| WxDxH CM | 100x70x85 |
| WEIGHT | 80 KG |
| PRICE EURO | 1.295 € |



GENERAL FEATURES

- 4 swivel castors (2 with brakes)
- 1 pcsGN 1/ 1 Gastronom capacity
- Bumpers the unit against damages.
- Power: 1 kW/230V/1N PE 50 Hz

| | |
|------------|-------------|
| MODEL | CL 1/1 BMTR |
| WxDxH CM | 40x65x85 |
| PLATE SIZE | 28 KG |
| PRICE EURO | 840 € |



| MODEL | CL 2/1 BMTR | CL 3X1/1 BMTR |
|------------|-------------|---------------|
| WxDxH CM | 80x65x85 | 110x65x85 |
| WEIGHT | 35 KG | 41 KG |
| PRICE EURO | 1.000 € | 1.275 € |



GENERAL FEATURES

- 4 swivel castors (2 with brakes)
- Gn capacity: 3 x GN 1/1 . 150 mm
- Bottom unit Gncapacity: 2 x GN 1/1 . 150 mm



| | |
|-------------|---------------------|
| MODEL | CL 3X1/1 TBMTR |
| WxDxH CM | 120x68x95 |
| GN CAPACITY | 3 x GN 1/1 . 150 mm |
| PRICE EURO | 2.760 € |



GENERAL FEATURES

- 4 swivel castors
- Produced for heavy duty.



| MODEL | CL 120 MTR | CL 150 MTR |
|------------|------------|------------|
| WxDxH CM | 120x60x160 | 150x60x160 |
| PRICE EURO | 467 € | 576 € |



GENERAL FEATURES



| | |
|------------|-----------|
| MODEL | CL 40 WBM |
| WxDxH CM | 40x40 |
| PRICE EURO | 170 € |



GENERAL FEATURES

- 4 swivel castors (2 with brakes)
- Plate capacity : 200 pc.
- Plate size: * Ø 26-32
- Bumpers the unit against damages.



| | |
|----------------|-------------------|
| MODEL | CL 98 DITR |
| WxDxH CM | 98x43,5x79 |
| PLATE CAPACITY | 200 PCS (Ø 26-32) |
| PRICE EURO | 660 € |



GENERAL FEATURES

- 4 swivel castors (2 with brakes)
- Bumpers the unit againts damages.

| | |
|--------------|------------|
| MODEL | CL 50 DSTR |
| WxDxH CM | 60x50x70 |
| GROSS VOLUME | 1.15 |
| PRICE EURO | 398 € |



GENERAL FEATURES

- 4 swivel castors (2 with brakes)
- Bumpers the unit against damages.

| | |
|--------------|------------|
| MODEL | CL 60 WSTR |
| WxDxH CM | 60x50x70 |
| GROSS VOLUME | 1,15 |
| PRICE EURO | 440 € |



GENERAL FEATURES

- 4 swivel castors (2 with brakes)
Ø 125
- Bumpers the unit againts damages.
- GN capacity GN 1/1 max height: 200 mm

| | |
|------------|------------|
| MODEL | CL 60 GNTR |
| WxDxH CM | 56x35,5x50 |
| PRICE EURO | 267 € |



GENERAL FEATURES

- 4 swivel castors (2 with brakes)
- Ø 125
- Carrying capacity 140 kg

| | |
|------------|------------|
| MODEL | CL 60 MTR |
| WxDxH CM | 56x35,5x50 |
| PRICE EURO | 325,- € |



GENERAL FEATURES

- 4 swivel castors (2 with brakes)
- Tray capacity - GN 1/1 x17 pcs
max h:65 mm

| | |
|------------|--------------|
| MODEL | CL 17 TTR |
| WxDxH mm | 385x580x1600 |
| PRICE EURO | 353 € |



GENERAL FEATURES

- 4 swivel castors (2 with brakes)
- Capacity :GN 1/1 x 17 pcs max. h: 65 mm

| | |
|------------|--------------|
| MODEL | CL 17 TTR-D |
| WxDxH mm | 385x580x1600 |
| FİYAT EURO | 353 € |



GENERAL FEATURES

- 4 swivel castors (2 with brakes)
- GN capacity 6 x GN 1/1 . 150 mm

| | |
|------------|--------------|
| MODEL | CL 60 MFTR |
| WxDxH MM | 640x740x1600 |
| PRICE EURO | 1.217 € |